



Access and Support Services

Chiesi Total CareSM (CTC) is a dedicated team committed to the individualized needs of every patient.

Visit chiesitotalcare.com
or call 1-833-670-6464
We're ready to help!

Indication and Important Safety Information

Indication

FILSUVEZ is indicated for the treatment of wounds associated with dystrophic and junctional epidermolysis bullosa (EB) in adult and pediatric patients 6 months of age and older.

Warnings & Precautions

Local hypersensitivity and skin reactions have been reported in patients treated with FILSUVEZ, including urticaria and dermatitis. If signs or symptoms of hypersensitivity occur, discontinue use immediately and initiate appropriate therapy.

Please see accompanying full Prescribing Information for FILSUVEZ topical gel.

Filsuvez[®]
(birch triterpenes) topical gel

Access to FILSUVEZ and support services for your patients happens in 4 easy steps:



Important Safety Information

Warnings and Precautions

Hypersensitivity: Local hypersensitivity, including rash and contact dermatitis has occurred in patients treated with FILSUVEZ. If signs and symptoms of local or systemic hypersensitivity occur, discontinue FILSUVEZ immediately and initiate appropriate therapy.

Squamous Cell Carcinoma: Patients with EB may be at increased risk of development of squamous cell carcinoma of the skin (SCC). Cases of SCC have been reported in patients treated with FILSUVEZ. A causal association has not been established. If a patient treated with FILSUVEZ is diagnosed with SCC, discontinue treatment with FILSUVEZ to the affected area.

Accidental Eye Exposure: In case of accidental contact, irrigate eyes with water.

Please see additional Important Safety Information throughout and accompanying full Prescribing Information.

Financial Assistance and Support



Chiesi Total Care will provide information on financial assistance options based on the individualized needs of your patients.

Access made easy with:

- Financial assistance for out-of-pocket expenses including copay assistance and referrals to other sources of support
- Copay program helps eligible commercially insured patients with their out of pocket cost. Patients pay as little as \$0
- Patient Assistance Program (PAP) for individuals without insurance or who meet other eligibility criteria
- Additional financial services may be available for eligible patients experiencing a coverage delay and/or lapse in insurance coverage



Dedicated Medication Support

PantheRx is the dedicated specialty pharmacy ensuring patients have access to FILSUEZ as a part of their daily routine and prevent gaps in therapy.

If you have questions, visit chiesitotalcare.com or call 1-833-670-6464 – we're ready to help!

Filsuvez[®]
(birch triterpenes) topical gel



If you have questions, visit chiesitotalcare.com
or call 1-833-670-6464 – we're ready to help!

Indication and Important Safety Information

Indication

FILSUVEZ is indicated for the treatment of wounds associated with dystrophic and junctional epidermolysis bullosa (EB) in adult and pediatric patients 6 months of age and older.

Important Safety Information

Warnings & Precautions

Local hypersensitivity and skin reactions have been reported in patients treated with FILSUVEZ, including urticaria and dermatitis. If signs or symptoms of hypersensitivity occur, discontinue use immediately and initiate appropriate therapy.

Adverse Reactions

The most commonly reported adverse reaction in clinical trials was pruritus and pain at the wound application site (7.3%).

Patient Counseling Information

Please refer to Prescribing Information for administration instructions.

To report SUSPECTED ADVERSE REACTIONS, contact Chiesi USA Inc. at 1-888-661-9260 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see accompanying full Prescribing Information for FILSUVEZ topical gel.

For more information, visit FILSUVEZ.com/HCP